

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 851 661 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

01.07.1998 Bulletin 1998/27

(51) Int. Cl.⁶: H04N 1/387

(21) Application number: 97122898.6

(22) Date of filing: 24.12.1997

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 24.12.1996 JP 342875/96

(71) Applicant:

Fuji Photo Film Co., Ltd.

Kanagawa-ken (JP)

(72) Inventors:

• Shiota, Kazuo,
c/o Fuji Photo Film Co., Ltd.
Minato-ku, Tokyo (JP)• Fukada, Shigekazu,
c/o Fuji Photo Film Co., Ltd.
Minato-ku, Tokyo (JP)• Haneda, Norihisa,
c/o Fuji Photo Film Co., Ltd.
Asaka-shi, Saitama-ken (JP)

(74) Representative:

Klunker . Schmitt-Nilson . Hirsch

Winzererstrasse 106

80797 München (DE)

(54) **Method and apparatus for picture printing image and program recorded medium used therefor**

(57) A user takes in digital image data and photographing information added thereto into a personal computer, and instructs, on a printing instruction screen, a printing format such as whether or not the photographing information should be printed and where the photographing information is to be printed. The content of the instruction is added to the digital image data

as printing information and handed to a printer via a recording medium, for example. The printer prints the photographing information on a picture print based on the printing information when the picture print is generated.




FIG. 1

EP 0 851 661 A2

Description

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a method for printing digital picture image data obtained by picture image recording, a picture printer used for carrying out the method, and a recording medium recorded with a program used for the method.

Description of the Related Art

Heretofore, in the APS (Advanced Photo System), photographing information such as the date of photographing has been recorded magnetically on a film upon photographing a picture image and the magnetically recorded photographing information has been read and added to digital image data as tag information upon obtaining the digital image data of the picture image by reading the film. Furthermore, in the case of a digital camera, photographing information (hereinafter referred to as "recording information") has been added to digital image data and stored in a memory of the digital camera upon recording the digital image data obtained by picture image recording.

The above recording information has been printed on the back of a picture print for example, and used for managing or ordering prints. However, what kind of recording information is printed on which part of a picture print has been determined rigidly by a function of a camera or a laboratory system, or by giving a detailed oral instruction upon ordering a picture print.

A variety of need is considered regarding the format of recording information print. For example, in the case of a picture to take part in a photo contest, recording information printing is generally not requested on the surface of the picture print. In another case, printing of not only the date of recording and a title but also recording conditions such as lens data or exposure may be requested. For such reasons, it is obviously inconvenient that items to be printed on a picture print or positions thereof are fixed or desired printing format is not obtained unless a detailed instruction for each frame is provided. Therefore, a method to easily instruct a printing format has been desired.

SUMMARY OF THE INVENTION

Based on consideration of the above problems, an object of the present invention is to provide a picture image printing method which can easily instruct in what format recording information is printed on a picture print.

The picture image printing method of the present invention comprises the steps of obtaining digital image data to which recording information of picture image

recording is added upon recording the picture image, displaying the recording information which has been added to the digital image data as well as the digital image data on a printing instruction screen, instructing a printing format of the recording information on the printing instruction screen, adding printing information which represents the instructed printing format as well as the recording information to the digital image data, and printing the recording information on a picture print based on the printing information which has been added to the digital image data upon reproducing the digital image data as the picture print.

"The recording information" refers to information such as the date of recording, the title of a picture, the lens focal length, the lens F value, the content of AE processing carried out by a camera, the focusing length, the focusing position, a lighting condition, whether or not flash has been used, and weather if the picture image has been recorded outside. Since what kind of recording information is added to digital image data depends on a function of a camera or the like, it is not limited specifically.

Furthermore, display of the recording information on the printing instruction screen is carried out to enable a user to provide a printing instruction. Therefore, only item name display such as "the date of recording" may be sufficient without displaying the actual content of the recording information such as "December 24th".

"The printing format of the recording information" means whether or not the recording information should be printed, a position on a picture print at which the recording information is printed, a method of printing, direction of printing (vertical or horizontal), the size or font of characters or the like. In this specification, as one form of the "printing format instruction", "no printing" instruction is intended to be included.

It is preferable to instruct the printing format for each item when the recording information is composed of a plurality of items among the above recording information items.

A picture printer of the present invention is a picture printer used in the above printing method, whereby the digital image data to which the printing information and the recording information is added is reproduced as a picture print and the recording information is printed on the picture print based on the printing information, that is, the printing format a user has instructed.

A recording medium in which a program of the present invention is recorded is a recording medium in which a program used for instructing the printing format in the above printing method is stored. By distributing these recording media to users who request prints, the users can easily instruct printing by using their computer. The program makes a computer display the printing instruction screen on a display apparatus which is connected to the computer, enable an instruction of the printing format on the printing instruction screen by using a variety of input devices of the computer, and

add the printing information representing the instructed printing format as well as the recording information to the digital image data, and store them in a predetermined recording medium.

The printing information which a user has generated by using a personal computer or the like may be handed to a DPE or the like by storing the printing information in a floppy disc or the like, or may be transferred via a network.

According to the picture image printing method of the present invention, a user takes in digital image data and the recording information which has been added thereto into his/her personal computer or the like, and instructs, on the printing instruction screen, printing format such as whether or not the recording information should be printed and positions of the recording information print. The content of the instruction is added to the digital image data as the printing information, and handed to a picture printer via a recording medium for example. The picture printer carries out printing of the recording information on a picture print based on the printing information when a picture print is generated. In other words, according to the present method, a picture printer can print the recording information in a format in accordance with the intention of a user.

In the case of the recording information composed of a plurality of items such as the date of recording and a title, if a position at which the item is printed on a picture print or whether or not the item should be printed is specified for each item, printing of the recording information can be carried out reflecting a user's need in a more desirable manner.

The picture printer used for generating a picture print by using the above method prints the recording information on a picture print based on the printing information representing the printing format instructed by a user. Therefore, a user only has to hand in a medium in which the printing information is recorded to a DPE when he/she instructs the printing format. In this manner, not only a user but also a service provider can improve efficiency when ordering a print.

According to the recording medium in which the program used for instructing the printing format in the above method is recorded, by installing the program into a personal computer or the like of a user, the user can instruct the printing format remaining at home. Therefore, the user can take sufficient time to determine a desired printing format. Furthermore, the content of the printing format instructed by a user by using this program is stored in a recording medium as printing information in a data format which can be recognized by a picture printer. Therefore, the recording information printing format can be easily instructed by only handing in the medium when a print is requested.

BRIEF DESCRIPTION OF THE DRAWING

Figure 1 is a diagram showing an embodiment of a

picture image printing method of the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Hereinafter, an embodiment of the present invention will be explained referring to the accompanying drawing. Figure 1 is a diagram showing the case where a picture image recorded by a digital camera is printed according to the method of the present invention.

A digital camera 1 is a camera whereby image data 7 obtained by recording are stored in a memory card 2. The digital camera 1 has a function by which a photographer can set the date of recording or the title of a picture upon recording. The information set by the photographer is added to the image data 7 as recording information 8. On this occasion, only the date of recording which has been set may be added as the recording information 8, or all items including the items which have not been specified by the photographer may be added as the recording information 8. However, in this case, the information showing no specification is added to the items which have not been specified.

The image data and the recording information 8 recorded in the memory card 2 can be input to a personal computer 3 or the like by transferring the image data and recording information directly by using a card reader or indirectly via another medium. A program of the present invention stored in a recording medium is installed in the personal computer 3. In this manner, the printing format of the recording information can be instructed.

The above program displays a printing instruction screen 9 such as shown in Figure 1 on a monitor of the personal computer 3. On the printing instruction screen, the image data whose recording information printing is being instructed and each item of the recording information 8 added to the image data 7 are displayed. Since only the printing format is instructed, the content of the recording information such as December 24th may not necessarily be displayed. On the printing instruction screen 9, whether or not printing is necessary, the position at which printing is carried out, and the font of characters can be specified for each item. This instruction may be carried out by displaying check boxes or selection menus as shown in Figure 1, and by checking or selecting a menu by a mouse, for example. In Figure 1, the case where a photographer instructs printing of only the date of recording is shown as an example. Any known user interface can be used as the means for instruction.

The content of the instruction specified by using the printing instruction screen 9 is added to the image data 7 as printing information together with the recording information, and stored in a hard disc of the personal computer 3 or a medium such as a floppy disc or an MO disc. The recorded image data 7, the recording information, and the printing information may be handed to a DPE or the like via a medium such as an MO disc 4 as

shown in Figure 1, or via a network if the personal computer 3 and a picture printer 5 are connected to the network.

The picture printer outputs the image data 7 as a picture print 6. On this occasion, the picture printer reads not only the image data 7 but also the recording information and the printing information, and prints the date of recording in the lower right corner of the picture print surface in Gothic type according to the printing information, in the case of the example shown in Figure 1.

The instruction of the printing format on the printing instruction screen 9 may be carried out for each frame as shown in Figure 1, or may be carried out collectively for a plurality of frames. As the printing format which can be used, a variety of content in addition to the above examples is considered. The content may include a printing method such as whether characters are typed or printed as a portion of the image, a direction of printing such as whether a title or the like is printed vertically or horizontally, and the size of the characters.

In the form where image data are stored in a system installed in a DPE, such as in the Internet photo service, and a user orders a print by accessing a server computer of the system, the printing instruction screen 9 may be set as one of the screens displayed by a browser, and image data stored in the laboratory system may be printed by automatically transferring the printing information to the laboratory system after printing instruction has been carried out on the printing instruction screen.

Since the present invention relates to the printing method which is used when image data to which recording information has been added are printed, a method for obtaining such image data is not especially limited herein. In other words, the image data such as the above may be obtained by not only a digital camera but also by carrying out recording using a film camera and adding the recording information as a portion of data to image data upon reading a film. In the APS, since the recording information is magnetically recorded on a film, the recording information can be added to image data by reading the recording information by using a laboratory system. Alternatively, the image data obtaining method may include the case where the recording information is added to image data obtained from a 35 mm film by separately inputting the recording information using an input device such as a keyboard or the like.

Claims

1. A picture image printing method comprising the steps of:

obtaining digital image data to which recording information has been added upon recording a picture image;
displaying the recording information having

been added to the digital image data on a printing instruction screen together with the digital image data;

instructing a printing format of the recording information on the printing instruction screen;
adding printing information showing the instructed printing format and the recording information to the digital image data; and
printing the recording information on a picture print based on the printing information added to the digital image data when the digital image data are reproduced as the picture print.

2. A picture image printing method as defined in Claim 1 wherein whether or not the recording information should be printed is specified in the instruction of the recording information printing format.
3. A picture image printing method as defined in Claim 1 or 2 wherein a position on the picture print at which the recording information is printed is specified in the instruction of the recording information printing format.
4. A picture image printing method as defined in any one of Claims 1 to 3, wherein
the recording information comprises a plurality of items; and
the instruction of the printing format is carried out for each item.
5. A picture printer used in the picture image printing method as defined in Claim 1, whereby
the printing information and the digital image data to which the recording information has been added are reproduced as a picture print, and the recording information is printed on the picture print based on the printing information.
6. A recording medium in which a program used for the picture image printing method as defined in Claim 1 is recorded, wherein the program makes a computer

display the printing instruction screen on a display apparatus connected to the computer;
enable instruction of the printing format on the printing instruction screen by using a variety of input devices of the computer; and
add the printing information showing the instructed printing format and the recording information to the digital image data and record the printing information, recording information and the digital image data in a predetermined recording medium.

7. A recording medium in which the program as defined in Claim 6 is stored, whereby the program enables instruction of whether or not the recording information should be printed upon instructing the printing format. 5
8. A recording medium in which the program as defined in Claim 6 or 7 is stored, whereby the program enables instruction of the position on the picture print at which the recording information is printed upon instructing the printing format. 10
9. A recording medium in which the program as defined in any one of Claims 6 to 8 is stored, whereby 15
- the recording information comprises a plurality of items; and
the program enables instruction of the printing format for each item. 20

25

30


35


40

45

50

55





Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 0 851 661 A3

(12) EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
23.08.2000 Bulletin 2000/34

(51) Int. Cl.⁷: H04N 1/387

(43) Date of publication A2:
01.07.1998 Bulletin 1998/27

(21) Application number: 97122898.6

(22) Date of filing: 24.12.1997

(84) Designated Contracting States:
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 24.12.1996 JP 34287596

(71) Applicant:
Fuji Photo Film Co., Ltd.
Kanagawa-ken (JP)

(72) Inventors:
• Shiota, Kazuo,
c/o Fuji Photo Film Co., Ltd.
Minato-ku, Tokyo (JP)
• Fukada, Shigekazu,
c/o Fuji Photo Film Co., Ltd.
Minato-ku, Tokyo (JP)
• Haneda, Norihisa,
c/o Fuji Photo Film Co., Ltd.
Asaka-shi, Saitama-ken (JP)

(74) Representative:
Klunker . Schmitt-Nilson . Hirsch
Winzerstrasse 106
80797 München (DE)

(54) Method and apparatus for picture printing image and program recorded medium used therefor

(57) A user takes in digital image data and photographing information added thereto into a personal computer, and instructs, on a printing instruction screen, a printing format such as whether or not the photographing information should be printed and where the photographing information is to be printed. The content of the instruction is added to the digital image data

as printing information and handed to a printer via a recording medium, for example. The printer prints the photographing information on a picture print based on the printing information when the picture print is generated.




FIG.1

EP 0 851 661 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 97 12 2898

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Incl. Cl. 6)
P, A	US 5 608 542 A (KRAHE ET AL) 4 March 1997 (1997-03-04) * column 2, line 26 - column 4, line 46; figures 1-4 *	1, 5, 6	H04N1/387
P, A	US 5 592 305 A (IWADATE ET AL) 7 January 1997 (1997-01-07) * column 2, line 65 - column 3, line 65; figures 1, 10 *	1, 5, 6	
			TECHNICAL FIELDS SEARCHED (Incl. Cl. 6)
			H04N
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
BERLIN		30 June 2000	Dudley, C
CATEGORY OF CITED DOCUMENTS		T: theory or principle underlying the invention E: earlier patent document, but published after the filing date A: document cited in the application L: document cited for other reasons @: member of the same patent family, corresponding document	
X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background Q: non-written disclosure P: intermediate document			

EP 0 851 661 A3

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 97 12 2898

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30-06-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5608542	A	04-03-1997	NONE	
US 5592305	A	07-01-1997	JP 7038738 A	07-02-1995

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82